

Index

' , 290
!, 291
#, 243, 291
#-1, 153
\$
 designator for special objects, 37
 referring to the last element of a list,
 141
\$container, 37
\$limbo, 248
\$note, 37
\$object_utils, 297
\$player_start, 250
\$room, 37
\$spell, 260
\$thing, 37
%N, 116
%s, 116
:, 10
::, 11
;, 125
;;, 164
?, 290
?...| construct, 133
@, 243
 convention (in command names),
 27
@abort, 259
@addalias, 259
@addalias#, 259
@adddict, 260
@addfeature, 42, 260
@addlag, 260
@add-notify, 260
@add-owned, 260
@addrroom, 45, 260
@addword, 260
@age, 261
@answer, 261
@arb, 261
@arb-ballots, 261
@arb-petitions, 261
@args, 261
@args#, 261
@at, 261
@audit, 83, 262
@ballots, 262
@ban, 34, 262, 313
@banned, 262
@boot, 262, 316, 325
@bug, 262
@build-options, 263
@check, 263
@check-chparent, 263
@check-full, 30, 260, 263
@check-property, 263
@chmod, 263
@chparent, 43, 86, 264
 troubleshooting, 263
@classes, 264
@clearproperty, 264
@clear-tell-filter-hook, 264
@clproperty, 264
@comment, 264
@complete, 264
@contents, 45, 88, 99, 264
@copy, 265
@copy-move, 265
@copy-x, 265
@count, 265
@countDB, 265
@create, 38, 45, 79, 80, 82, 84, 265
 resource-limit-exceeded error, 92
@cspell, 265
@dbsize, 265
@define, 266
@denewt, 266
@describe, 45, 80, 266
@detail, 266
@details, 266
@dig, 45, 79, 80, 84, 266
 exits, 85
 rooms, 84
@disown, 266

@display, 45, 127, 267
 @display-options, 267
 @dump, 45, 267
 @dview, 224
 @edit, 267
 @edit-options, 267
 @egrep, 267
 @eject, 32, 34, 40, 268
 @eval-d, 268
 @examine, 269
 @features, 269
 @find, 42, 269
 @flush-cache, 269
 @forget, 269
 @forked, 132, 269
 @forked-verbose, 270
 @forward, 270
 @gag, 29, 260, 270
 @gaglist, 29, 270
 @gag-site, 270
 @gag-sites, 270
 @gender, 45, 270
 @gethelp, 270
 @gms, 270
 @go, 45, 271
 @grep, 271
 @gripe, 271
 @idea, 271
 @join, 45, 272
 @keep-mail, 272
 @kids, 83, 272
 @kill, 151, 272
 @killquiet, 272
 @known-objects, 272
 @last-connection, 272
 @lastlog, 272
 @linelen, 8
 @linelength, 272
 @list, 273
 @list#, 273
 @listdefs, 273
 @list-followers, 273
 @listgag. *See* @gaglist
 @locations, 273
 @lock, 31, 88, 273
 @mail, 45, 273
 @mail-all-new-mail, 274
 @mail-options, 45, 274
 @make-petition, 274
 @measure, 91, 274
 @messages, 46, 80, 274
 @mode, 274
 @more, 8, 275
 @move, 40, 275
 @netforward, 275
 @newmessage, 275
 @newt, 275
 @next, 45, 275
 @nominate, 276
 @notedit, 276
 @nproperty, 276
 @owner, 276
 @pagelen, 8
 @pagelength, 276
 @paranoid, 14, 30, 276
 @parent, 276
 @parents, 43, 82, 277
 @password, 45, 277
 @paste, 277
 @pasteto, 277
 @pc-news, 277
 @pc-options, 277
 @pedit, 277
 @petition-options, 277
 @petitions, 278
 @prettylist, 278
 @previous, 278
 @prog-options, 278
 @program, 45, 278
 @program#, 278
 @property, 45, 101, 103, 278
 @prospectus, 278
 @qreply, 278
 @qsend, 279
 @quickreply, 278
 @quicksend, 279
 @quit, 9, 18, 45, 279
 @quota, 90, 279
 @ranm. *See* @read-all-new-mail
 @read, 45, 279
 @read-all-new-mail, 279
 @reaper-ballots, 279
 @reapers, 279
 @recreate, 86, 280
 @recycle, 81, 280
 @refusal-reporting, 280
 @refusals, 31, 280
 @refuse, 30, 45, 280

@registerme, 280
 @registrar-ballots, 280
 @registrar-petitions, 280
 @registrars, 281
 @remember, 281
 @remove-feature. *See* @rmfeature
 @rename, 281
 @renumber, 281
 @reply, 281
 @request, 14, 15, 281
 @resend, 281
 @resident, 282
 @residents, 282
 @ralias, 282
 @ralias#, 282
 @rmdict, 282
 @rmfeature, 43, 282
 @rmlag, 282
 @rmmail, 282
 @rmproperty, 282
 @rmroom, 282
 @rmverb, 283
 @rmverb#, 283
 @rmword, 283
 @rn, 283
 @rooms, 45, 283
 @send, 45, 283
 @set, 86
 with messages, 88
 @setenv, 164, 283
 @sethome, 283
 @setprop, 284
 @set-tell-filter-hook, 284
 @show, 284
 @skip, 284
 @sort-owned-objects, 284
 @spell, 284
 @spellmessages, 284
 @spellproperties, 284
 @spurn, 34, 285
 @spurned, 285
 @sshow, 285
 @subscribe, 45, 285
 @subscribed, 285
 @subscribe-quick, 285
 @suggestion, 285
 @sweep, 14, 32, 285
 @teleport. *See* @move
 @tell-filter, 286
 @tutorial, 9, 286
 @typo, 286
 @unban, 286
 @undefine, 286
 @ungag, 286
 @ungag-site, 287
 @unlock, 31, 287
 @unmessage, 287
 @unread, 287
 @unrefuse, 31, 287
 @unrmmail, 287
 @unset, 287
 @unset-tell-filter-hook, 288
 @unsubscribe, 288
 @unsubscribed, 288
 @unsubscribed-quick, 288
 @uptime, 288
 @users, 288
 @verb, 45, 103, 104, 288
 @verbs, 288
 @verify-owned, 288
 @version, 288
 @watch, 289
 @ways, 45, 289
 @web, 289
 @whereis, 289
 @who, 289
 @will, 290
 @witness, 290, 313
 @wizards, 290
 @wrap, 8, 290
 `! => ' construct, 158
 +, 292
 +c property permission flag, 165
 <>, 2
 abbreviations, conversational typing,
 255
 Abraxas, 323
 abstract, 331, 342, 344
 accept vs. acceptable, 146
 accountability, 305
 active, 333, 381
 Adventure, 25, 37
 age
 determining a player's MOO-age,
 261
 official (LambdaMOO), 261
 Aglaia, 383
 Aladdin, 179

- alias, 243
 - adding an alias to your MOO character, 16
- ancestors (of an object), 38
- ancestry, 82
- AndroidLust, 379
- Angharad, 335
- angle brackets, usage, 2
- anj, 339
- annoyances, countering, 29
- antisocial feature object, 218
- ARB, 91, 190, 235, 243, 261, 304, 305, 311, 314, 315, 323, 328, 331, 350, 351
 - members
 - listing, 261
 - term limits, 320
- arbitration system, LambdaMOO, 233, 308, 311, 319, 321, 324, 325, 326, 328, 329, 330, 331, 332, 334, 335, 339, 340, 344, 346, 347, 348, 351, 354, 362, 364, 367, 369
- Architecture Review Board. *See* ARB
- args, built-in variable, 145, 159
- argstr, built-in variable, 159
- argument list, 106
- argument specifiers, 102, 104, 112, 163, 164, 243, 244, 288
 - changing the argument specifiers for an existing verb, 261
- arguments, 102, 114, 243
- Artbag, 337
- articles, usually omitted, 23
- assignment, scattering, 160
- asterisk, 259
 - in verb names, 109
 - to designate a mailing list, 38
- audit. *See* @audit
- Avenger, 334, 340
- awareness, general, 32
- background task, 102, 132, 162, 163, 244, 253, 255, 272
- backspace, with raw telnet, 7
- balloons
 - hot air, 200
- ballots, 327. *See also* petition and ballot system
- LambdaMOO
 - compendium of, 311
 - listing, 262
- banning someone from rooms you own, 34
- Barth, 11
- Bartlebooth, 24, 189, 194, 200, 201, 203, 212
- bash, 244
- basic communications, 9
- Bats!, 329, 336
- Bear(tm), 368
- Béchamel Sauce, 257
- behavioral norms, 36
- Benny, 382
- Big Brother (or someone else) may be watching you, 32
- Bits, 115
- Blissboi, 382
- Blob, 178
- Bond-007, 356
- Boo, 12, 218
- Boonton, 339, 365, 378, 382
- boring, 262
- bot, 244
- Brack, 334, 337, 350
- bug(s)
 - reporting, 262
- bugging, 32. *See also* @sweep
 - of conversations, 14
- building, 79, 90
 - overview, 79
- build-options, 89
- built-in
 - function (defined), 244
 - functions, 168
 - variables, 159
- byte, 245
- byte-based quota, 90, 314
- Cable, 328, 348, 354
- call, 245
- caller
 - built-in variable, 159
- camouflaging a room or object's contents, 98
- cARRoT, 195, 200, 211, 321, 336, 346
- channels, 13, 245
 - on LambdaMOO, 225
- character, 245
 - requesting, 14
- child. *See* parent

chocolate soufflé, 257
 Choppie!, 362
 chparent. *See* @chparent
 Chris-22, 331, 335
 class, 245
 client program

- if you don't have one, 8
- switching from raw telnet to, 8

 client programs, 7
 cobot, 382
 command, 101, 245
 command line, 245
 command-line verbs, 105
 commas, in names and aliases, 111
 communication, recording, 13
 communications, basic, 9
 community, 303, 305

- expectations, 9

 compass directions

- moving, 25

 compound statements, 161
 connect, 264
 connected (room), 245
 connecting to a MOO, basics, 7
 container room, 26
 containment hierarchy, 246
 contents. *See also* @contents

- :contents verb vs .contents property, 99, 100
- of an object, 37, 39, 88, 98, 245

 conventions of acceptable behavior, 28
 conversational typing abbreviations, 255
 conversations, coping in a crowded room, 11
 copyright, of communication that occurs in real time, 14
 core, 246
 core database. *See also* LambdaCore

- defined, 101, 246

 crayon, 333
 create. *See* @create
 creating rooms and other objects, 79
 ctype

- property of \$room
 - examples, 86

 cultural and behavioral norms, 36
 Curtis, Pavel, 104
 customizing objects, 86
 customs, 28
 darkrider, 332, 339
 Darkson, 345, 354, 360
 data types, 105, 156, 246
 database, 2, 101, 246

- changing
 - as opposed to generating text with the emote command, 11
 - size, 265

 Dave, 325
 decline

- (a LambdaMOO petition), 265

 defense mechanisms, 29
 deLaMer, 369, 371, 376, 377
 describe. *See* @describe
 describing yourself, 16, 17
 detailed rooms, 24
 dig. *See* @dig
 directed say, 11
 discipline problems, 304
 disconnecting from a MOO, 9
 display. *See* @display
 dispute system

- LambdaMOO. *See* arbitration system

 dobj

- built-in variable, 148, 159

 dobjstr, 120

- built-in variable, 159

 Dodger, 315
 doing vs. emoting, 10
 Doug, 27, 196
 Downtime, 365
 dr, 316
 Dred, 208, 314
 Drippy, 57, 361
 due diligence, 82
 dynamic allocation (of variables), 105
 e, 3
 edd, 313
 editors

- aborting an editing session, 68
- deleting text, 74
- ending an editing session, 68
- entering text, 69
- importing text from another source on the MOO (yank), 70
- insertion point, 66
 - finding and moving, 68
- invoking, 67

- listing text, 68
- miscellaneous commands, 75
- modifying existing text, 71
- moving text, 73
- options, 76
- searching for text (find), 75
- using, how to, 66
- Edweirdo, 346
- eep, 218
- eir, 3
- eirs, 3
- eject. *See* @eject
- Elayne, 380
- em, 3
- emacs with mud.el, client program, 7
- email
 - changing your registration email address. *See* @registerme
- emote, 10, 11
 - remote-emote, 13
- emself, 3
- EnCore, 246
- eprint, 268
- ERR, data type, 158
- error, trapping, 158
- etiquette
 - teleporting into a private room, 28
- Etoile, 369
- Euphistopheles, 321
- eval, 45, 164
- Evil, 359
- examine, 268
 - command, introduced, 23
 - contrasted with @examine, 109
 - customizing the list of obvious verbs, 119
- exit, 246
- exit messages, 94, 96
- exits
 - attaching an exit owned by someone else, 85
 - creating with @dig, 85
 - finding available exits from a room, 25
 - seeing what exits are available in/from a room. *See* @ways
- expectations
 - cultural/behavioral, 9, 36
- exploring, 22
- expression
 - regular, 267
- expressions, 106, 161, 164, 246, 251
- Farcan, 351, 365, 374
- feature objects, 41
 - adding a feature object, 42
 - LambdaMOO, 217
 - antisocial feature object, 218
 - APHiD's socializing feature object, 219
 - Carrot's social interaction feature, 223
 - Carrot's viewing feature, 224
 - Compass Rosette FO, 224
 - dancing feature object, 220
 - fast & dangerous Info FO, 221
 - Karma FO, 224
 - LambdaMOO museum search FO, 224
 - login watcher, 220
 - Mazer's object utilities FO, 224
 - Multi-communications feature, 225
 - Obvious feature object, 224
 - Pasting FO, 225
 - Quota-Transferral feature, 225
 - social verb core, 218
 - stage-talk feature, 217
 - programming, 167
 - removing a feature object, 43
 - sequence matters, 42
- fertile, 83, 90, 246
- fiat, wizard (LambdaMOO), 234, 307
- fifel, 382
- fifelfoo, 370
- Fionaa, 376
- flag, 103, 247
- FLOAT, data type, 156
- follow (another player), 269
- Foobies, 320, 321, 322, 324
- food fights
 - opting out, 262
- Ford, 306
- foreground task, 101, 102, 163, 244, 247, 253. *See also* background task
- fork bomb, 247
- forked task, defined, 247
- forked tasks
 - listing, 269

Frand, 303
 Frand's player class, commands, 45
 Fred_astaire, 361
 Fuel, 360
 functions
 built-in, 168
 built-in (defined), 244
 Gabaldon, 383
 gag, 247. *See* @gag
 game master, 247
 Gary, 325, 360, 364
 Gary_Severn, 214, 303
 Gear, 373
 Gemba, 303
 gender, 2. *See* @gender
 agreement, in exit messages, 97
 presenting, 18
 pronouns, 17
 specifying your MOO character's
 gender, 17
 gender-neutral pronouns, 3
 general awareness, 32
 generic, 247
 generic builder commands, 45
 generic mail receiving player
 commands, 45
 generic objects, 79, 81
 generic player commands, 45
 generic programmer commands, 45
 genna, 189
 Geust, 306
 ghond, 303
 GhostDruid, 379
 Gilmore, 331, 341, 359, 360, 374
 global variables, 105
 glossary of terms, 243
 go
 command, 26, 271
 GothGrrl, 344
 graeme, 381
 Grand_Master, 247
 Greene, 201
 greetings
 unexpected, 19
 GrendelFish, 335
 GreyDruid, 377
 Griffen, 341
 GrinchDruid, 383
 gru, 188, 194, 197, 334
 Grump, 311
 Gryndel, 323
 guest
 connecting as, 7
 guests
 booting off the system, 316
 gurst, 247
 Haakon, 233, 303, 306, 307, 308, 309,
 340, 359
 habibi_with_wild_rice, 384
 Hagbard, 312
 Hannibal, 379
 harassment, 35
 Harry_Potter, 370
 heartbeat, 271
 help, 45, 271
 online, 8
 help manners. *See* manners
 help text
 adding help text to an object, 118
 Hepper, 383
 heyoka, 374
 hhsb, 376, 378
 Hibernian, 343, 345, 372
 hiccup, 383
 hidden treasures, 166
 Hobgoblin, 372
 Holgate, 363
 home, 45, 271
 creating a home for yourself, 18
 designating a room as your home,
 18
 going home, 19
 letting someone else designate a
 room you own as eir home, 18
 Hookleg, 338, 352
 hot air balloons, 200
 HumbertHumbert, 326, 334, 340
 idle, 247
 Indite, 337
 Individual, 318
 inherited properties, 81
 input, 247
 insertion point
 in MOO editors, 66
 INT, data type, 156
 integrating room, 24
 integration
 advantages and disadvantages, 99

- room, 94
- invalid, 247
- invalid objects, 37
- inventory, 80, 248, 271
- invoke, 248
- iobj
 - built-in variable, 148, 160
- iobjstr, 131
 - built-in variable, 160
- Jack, 253
- Jacobson, David, 14
- jaime, 322, 326, 342, 343, 384
- Jaybird, 362, 365, 367, 368, 371
- Jayturkey, 361
- Jerri_Blank, 383
- JHCore, 45, 246
- Jill, 253
- JoeFeedback, 306
- JohnBoy, 328, 354, 367
- Johns, 358
- join. *See* @join
- Jon_BonJarleycorn, 197
- Jool, 197
- journalists, at LambdaMOO, 343
- judicial review board
 - LambdaMOO (failed ballot), 333
- Karma, 206
- kids. *See also* parent. *See* @kids
- Kilik, 187, 321, 326, 327, 343
- Kirlan, 218
- Klaatu, 13, 30, 38, 115, 200, 218, 229, 230, 367
- Kobot, 381
- Krate, 370
- Lady-Dawn, 370
- lag, 248
 - \$login.current_lag, 163
 - @addlag (command), 260
 - @rmlag (command), 282
 - effect on @paste, 225
 - Lag Reduction FO of Godlike Powers, 129
- Lambda, 306, 317
- LambdaCore, 2, 13, 27, 34, 45, 47, 66, 82, 162, 170, 173, 217, 225, 226, 237, 246, 248, 259, 269, 288, 289, 290, 303, 308
- LambdaMOO, 2
 - arbitration. *See* arbitration system
 - elected offices, 235
 - feature objects, 217
 - Guide to Interesting Places, 175
 - petition system
 - 2/3 majority, 235
 - creating a petition, 239
 - elected offices, 235
 - eligibility requirements, 235
 - historical overview, 233
 - how to participate, 237
 - nomination petitions, 241
 - opting out, 234
 - petition options, 238
 - signature thresholds, 235
 - time limits for petitions and ballots, 235
 - vetting criteria, 236
 - political system, 232
 - registration policy, 14
 - RPG (Role Playing Game). *See* RPG
 - Takes a New Direction, 234, 303, 307, 308, 340
 - Takes Another Direction, 234, 307, 349, 353, 373
 - VR atlas, 25
- LambdaMOO Programmer's Manual*, 104
- Lamont_Cranston, 202
- legba, 316
- Legion, 369
- Li2CO3, 349
- lights, 371
- limbo. *See* \$limbo
- line breaks
 - in verbs, 110
- Linnea, 317
- LIST, 248
 - data type, 157
- listening devices. *See* @sweep
- literals, 112
- local variables, 105
- lock. *See* @lock. *See* @lock
- log files, 14
- logging, 32
- login watcher (feature object), 220
- login watchers, 19
- look detection, 17
- look_msg, 98
- look_self, 99
- looking around, 22

- looping, 162
- loree, 353
- lose, 273
- lovecraft, 57
- LTAD, 234, 307, 349, 353, 373
- LTAND, 234, 303, 307, 308, 340
- lurk, 248
- Mack-the-Knife, 340
- mail
 - @read and @peek, 55
 - aborting an editing session if you change your mind about sending mail, 59
 - automatically forwarding mail to your email address, 63
 - checking for new messages, 52
 - current folder, 52
 - current message, 52
 - customizing aspects of the mail system, 59
 - folder, 52
 - list, topic description, 52
 - message headers, 54
 - message sequences, 54
 - options, 59
 - reading, 51
 - reading a MOOmail list, 51
 - reading all new mail at once (@ranm), 52
 - recipient, 51
 - removing messages (@rmm), 56
 - renumbering messages, 56
 - searching MOOmail lists, 54
 - seeing what MOOmail lists exist, 52
 - sending, 57
 - skipping unread messages, 56
 - subscribing to a MOOmail list, 52
 - using the mail editor (basic), 57
- mail options, 59
 - listing, 60
 - modifying, 61
- mailing lists, 38, 51
 - creating, 93
- manners, 9, 22, 28, 48, 233, 304, 305, 313, 317, 319, 328, 329, 334, 345, 364, 367, 369. *See also* help manners
- map, 25
- matching, 102, 248
- mav, 249
- measuring an object. *See* @measure
- Mediocrity, 378
- Melki, 375
- message
 - property, defined, 46
- message sequences, 54
- messages. *See* @messages
 - setting, 46
- meta-VR, 1, 2, 25, 88, 94, 243, 249
- Mickey, 312, 319, 322, 323, 330, 332, 338, 340
- Miles, 324
- mingaloid, 371
- mockturtle, 42, 248
- MOO
 - definition, 1
- MOObash, 244
- MOOer of the Month, 320
- MOOicide, 357, 363
- MOOmail
 - reading, 51
- MOOs
 - finding. *See* Rachel's Super MOO List
- MOOsex, 35
- Mooshie, 350, 355
- Moriah, 312
- morph, 249
- Morpheus, 26
- moving around, 25
 - walking vs teleporting, 25
- Mr_Bungle, 233
- MUD, 37
 - Object Oriented, 37
- MUDDweller, 7
- MugWump, 355
- multiple characters, 249
- multi-room, 186
- multi-tasking, 249
- multi-user environment
 - draws and drawbacks, 28
- murmur, 275
- Musketeer, 371
- MutantNemesis, 359
- Naked_Guest, 330
- name
 - changing the name of your MOO character, 16
- Nancy, 317

New-Player-11164, 347
 news, 8, 275
 newt, 249
 Nim, 12, 219, 229
 noise abatement, 29
 nonsense, 360
 non-VR, 1, 25, 249. *See also* meta-VR
 norms
 cultural and behavioral, 36
 nosiness, 32
 Nosredna, 254, 306
 notabird, 346
 note editor, 57. *See* @notedit
 null object, 153
 NUM
 data type, 156
 Nuveena, 356, 366
 O.M.I.N., 361
 OBJ, data type, 156
 object, 249
 ancestry, 82
 hierarchy, 37, 83
 measurement task, 91
 number, 37
 objects, 1, 2, 37
 brief introduction, 21
 contents, 37, 39, 88, 98, 245. *See also*
 @contents
 creating a new object, 38. *See also*
 @dig. *See also* @create
 customizing, 86
 feature objects, 41
 fertile, 83, 90, 246
 generic, 81
 getting rid of unwanted objects
 (@eject), 40
 identifying interactive objects in
 your vicinity, 23
 invalid, 37
 location, 38
 measuring, 91
 moving, 38
 parent hierarchy, 43
 parent objects (ancestors), 38
 parenthood, 37
 referring to by number or by name,
 38
 root object, 37
 seeing a list of objects you own, 38
 teleporting, 40
 unmeasured, 91
 valid, 37
 ObsessionRose, 382
 obvious verbs, 23
 customizing, for examine, 120
 official age
 (LambdaMOO), 261
 operators, 160
 options package, 53, 249
 defined, 59
 outing, 36
 output, 101, 250
 ownership
 and permissions, 165
 Ox, 316, 358
 P7A77, 341
 page, 12, 276
 parameters, 250
 paranoid. *See* @paranoid
 parent, 250
 changing the parent of an object,
 86, 264
 parent hierarchy, 43
 parents. *See* @parents
 parser, 41, 102, 250
 parsing, 41
 party, 277
 password
 changing, 15. *See* @password
 PatGently, 313, 326, 327
 pens, 358
 Peri, 343, 348, 357, 358, 360
 permission flags
 changing, 263
 object, 90, 266
 property, 103, 278
 verb, 104, 168, 288
 permissions
 error (E_PERM), 165
 ownership and, 165
 task, 165
 petition and ballot system
 (LambdaMOO), 226, 232, 250, 252,
 253, 261, 265, 274, 277, 278, 279,
 280, 307, 308, 309, 311, 312, 314,
 317, 319, 320, 322, 323, 324, 325,
 326, 327, 328, 329, 331, 333, 335,
 338, 339, 340, 347, 350, 351, 355,

358, 360, 362, 365, 366, 367, 368,
 372, 373, 374, 375, 376, 379, 380,
 381
 Phalin, 383
 Pictwe, 352
 PKelly, 383
 Plaid_Guest, 217
 player, 250
 built-in variable, 112, 159
 player class, 250
 player class owners
 powers, 44
 player classes, 43
 Frاند's player class, 45
 generic builder, 45
 generic mail receiving player, 45
 generic player, 45
 generic programmer, 45
 LambdaMOO, 226
 Detailed Player Class, 232
 Experimental Guinea Pig Class
 with Even More Features of
 Dubious Utility, 228
 Generic LambdaMOO Citizen, 226
 Generic Player Class With
 Additional Features of Dubious
 Utility, 227
 Generic Super_Huh Player, 231
 Politically Correct Featureful
 Player Class Created Because
 Nobody Would @Copy Verbs To
 8855, 230
 SSPC, 232
 Super-Schmoo, 232
 player object, 250
 player-character, 250
 players, 1
 port, 250
 port number, 7
 portable room, 26
 POSV, 370
 Power Elite (LambdaMOO), 196
 prepstr
 built-in variable, 160
 primary character, 235, 250, 252, 320,
 347, 369, 379. *See also* secondary
 character
 privacy, 31
 player class owners and, 44
 which MOOmail lists you read, 51
 Profane, 336, 342, 346, 349, 351
 program, 251
 programmer, 251
 programmer bit, 108, 305
 obtaining, 45
 Programmer's Manual
 (by Pavel Curtis)
 available via ftp, 109
 programming
 concise reference, 156
 tutorial, 108
 pronoun substitutions, 115
 pronouns
 gender, 17
 Spivak, 3
 proper conduct
 disagreements about, 304
 property, 2, 101. *See also* \$object_utils.
 See also @show. *See also* @property.
 See also @dump. *See also* @display
 +c permission flag, 165
 adding a new property to an object,
 103
 changing 'c' permissions on
 descendants of an object you own,
 165
 changing with @set, 284
 defined, 251
 defined vs inherited, 93
 displaying a list of an object's
 properties, 127
 displaying an object's inherited
 properties, 142
 dynamic access, 159
 edit, 68
 editor (@pedit), 228, 277
 inherited, 43, 81, 86
 measuring a property's size, 92
 message, 46, 88
 not found (error) E_PROPNF, 158
 ownership, 165
 ownership of inherited properties,
 165
 permission flags, 263
 quota required to add a property to
 an object, 90
 removing a property from an object.
 See @rmproperty

- viewing with eval, 291
- psign_*p:ctr, 349
- Pueblo, 7
- Puff, 313
- pupa, 379
- puppet, 251
- pupuck, 383
- Quadric, 362
- Quantum-Vacuum, 314
- QUARTlow, 329, 342, 350, 363
- queue, 103, 251
- Quiet, 352
- Qui-Gon_Jinn, 369
- Quinn, 312, 320, 325, 337, 357
- QuinnGrrl, 363
- quit
 - disconnecting from a MOO, 9. *See also @quit*
- quota, 329. *See also ARB*
 - byte-based, 90, 314
 - defined, 90
 - displaying amounts. *See @quota*
 - getting more, 91
 - measuring, 274
 - policy (LambdaMOO), 372
 - things to do if you are over quota, 91
 - transfer (LambdaMOO), 225, 316, 337, 339, 369
- Rachel's Super MOO List, 8
- RAM
 - random access memory, 13
- rape, 317, 318
- Rat, 327, 345
- raw telnet, 7
- reading mail, 51
- reapers, 348. *See also @reapers*
- reaping
 - (LambdaMOO), 358
- reaping (LambdaMOO), 222, 251, 254, 316, 357
 - defined, 251
 - eligibility requirements to be a reaper, 235
 - timing, 356
- recreate. *See @recreate*
- recycle. *See @recycle*
- RedFeather, 352
- refuse. *See @refuse*
- registrars. *See @registrars*
- regular expression, 267
- remote-emote, 13
- requesting a MOO character, 8, 14. *See also @request*
 - LambdaMOO
 - checking your status on the waitlist, 15
- researchers
 - at LambdaMOO, 343
- resource limit exceeded
 - when trying to create a new object, 92
- response latency, 251
- return value, 251
- RinkRabbit, 380
- risk
 - associated with adding a player class, 45
- Road_Dog, 206
- robot, 244
- Roebare, 368
- Rog, 333
- room, 251
 - container, 26
 - detailed, 24
 - integrating, 24
 - portable, 26
 - remembering a room's object number, 27
- room integration, 94
- rooms
 - connected, 26
 - creating with @dig, 84
 - dark, 99
- rooms database, 28, 251
- root object, 37
- RPG
 - LambdaMOO Role Playing Game, 184, 209, 212, 252
 - game masters, 226, 247, 270
 - Grand_Master, 247
- rules, 9, 29, 304
- Russian roulette pistol
 - LambdaMOO, 203
- RussianMob, 380
- Sabastian, 383
- Sage, 367
- say

- double quote abbreviation, 10
- Scarab, 356
- scattering assignment, 160
- Schmoo, 231
- searching
 - mailing lists, 54
- secondary character, 250, 252, 319, 320, 347, 369, 375, 376, 377, 379.
 - See also* primary character
 - illegal, 375
- seek, 283
- Selma, 363
- sending mail, 57
- server, 2, 41, 101, 252
- set. *See* @set
- setting messages, 46
- sexual advances, 35
- sexual harassment, 318
- Shalmaneser, 351, 356
- shard, 370
- Shimizu, 373
- Shmool, 39
- shouting, 29, 252
- shutdown
 - built-in command, 170
 - LambdaMOO ballot, 234, 309, 311, 352, 353, 362, 365, 373
- side effect, 106, 252
- silent teleporting*, 46
- silly moustaches, 353
- skeptopotamus, 57
- Slartibartfast, 306
- Sleeper, 344, 362, 364, 366
- snarl, 374
- social pressure
 - on player class owners, not to spy, 44
- social security
 - LambdaMOO, 356
- social verb core (feature object), 218
- soufflé, chocolate, 257
- soup, 366, 377
- spam, 252
- spamming*, 29
- Spivak
 - (LambdaMOO player), 373, 381
 - Michael, 3
 - pronouns, 3
- spoofing, 30, 228
 - defined, 252
 - spying, 14
 - stage-talk feature, 217
 - Stetson, 318, 323, 332, 347, 381
 - stop-following, 285
 - STR
 - data type, 156
 - string, 253
 - subroutine, 105, 115
 - subscribing to a MOOmail list, 52
 - subscripting, 158
 - Sunny, 319, 321, 324, 328, 336, 338, 341, 351, 375
 - sweep. *See* @sweep
 - syntax, 253
 - syntax specification for commands, 259
 - system, 253
 - system character, 253
 - Tapu, 329, 362
 - Tartan_Guest, 13, 220
 - task, 101, 102, 253
 - background, 102, 244
 - foreground, 102, 247
 - forked, 247
 - permissions, 165
 - task_id, 103
 - Tchinek, 335
 - teleport, 26, 253
 - silent teleporting*, 46
 - tell_contents, 99
 - tell-filter, 253
 - telnet, 7. *See also* @wrap
 - terminate, 106
 - text
 - generating text as opposed to changing the database, 11
 - unattributed (tracing), 30
 - The_Walrus, 212
 - theft, 33
 - prevention, 33
 - theme, 1, 22
 - themely transition, 178, 189, 206, 207
 - this
 - built-in variable, 148, 159
 - this (built-in variable), 140
 - ticks, 162, 254
 - tiny scenery*, 99, 196, 200, 254
 - tkMOO, 7

TMFKAN64, 357, 359, 366
 toad, 254
 toad scar, 254
 Tomb of the Unknown MOOers, 204
 Topher, 327
 Tower, 55
 treasures
 hidden, 166
 Trees_Beatnik, 324
 trespass, 33
 tricks of the (programming) trade, 167
 troll, 254
 trust
 player class owners, 44
 truth values, 161
 try/except/endtry construct, 158
 TunaJesus, 348
 tutorial. *See also* @tutorial
 LambdaMOO, 383
 programming (Yib's Pet Rock), 108
 yduJ's Wind-up Duck, 109, 207
 typing abbreviations
 conversational, 255
typist, 1, 254
 unattributed text, 252
 tracing, 30
 unexpected greetings, 19
 unfollow, 286
 unmeasured objects, 91
 user, 254
 user-extensible, 2, 41
 Uther_Locksley, 339, 344, 348
 Uther_O'Locksley, 353
 Utterly_Lame, 375
 valid, 254
 variable, 159. *See also* flag. *See also* data
 types
 built-in variables, 105, 159
 defined, 105, 255
 global, 105
 local, 105. *See also* @setenv
 verb, 23
 adding a verb to an object, 288
 built-in variable, 159
 copying a verb from one object to
 another, 265
 defined, 101, 255
 displaying a verb on an object, 127
 displaying inherited verbs on an
 object, 267
 dynamic access, 159
 editor, 57
 inherited, 43
 introduced, 2
 measuring a verb's size, 92
 not found (error) E_VERBNF, 158
 obvious verbs on an object, 111
 ownership, 165
 removing from an object. *See*
 @rmverb
 Veren, 57
 vetting petitions (LambdaMOO), 307
 Vida_Blue, 345
 virtual reality, 1, 25, 243
 breaking, 25
 Vorial, 375
 VR, 25, 255. *See also* virtual reality
 actions, 243
 waffle, 176, 207
 Warhol, 374
 ways, 289
 Werebull, 16, 27, 67, 220, 252
 wheel, 255
 whisper, 12, 289
 wiffle bats, 332
 Wintermute, 188, 199
 wizard, 255
 wizards, 303, 304, 305, 306, 307, 308,
 309
 fiat (LambdaMOO), 234, 307
 listing, 290
 powers, 33, 44, 51, 57, 104, 163,
 235, 247, 249, 250, 254, 255, 260,
 269, 275, 278, 282, 286, 343
 WriTinG, 341, 368
 X'iina, 322
 Xia, 355
 Xiombarg, 311
 xmath, 368, 377
 Xorbon, 193
 Xythian, 189, 315
 yduJ, 109, 194, 207, 306, 314, 384
 Yib
 arriving in a shower of sparks, 46
 ballots by, 331, 333, 359, 364, 376,
 380
 begins her career as a bugbear, 189

dancing with Werebull, 220
lifting an elephant, 11

ZenWombat, 356
Zork, 25, 37, 208